

REFERENCES

- Mishima E, Suzuki T, Ito S. Selection of patients for angioplasty for treatment of atherosclerotic renovascular disease: predicting responsive patients. *Am J Hypertens.* 2020;33:391–401. doi: 10.1093/ajh/hpaa016
- Whelton PK, Carey RM, Aronow WS, Casey DE Jr, Collins KJ, Dennison Himmelfarb C, DePalma SM, Gidding S, Jamerson KA, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Hypertension.* 2018;71:e13–e115. doi: 10.1161/HYP.0000000000000065
- Williams B, Mancia G, Spiering W, Agabiti Rosei E, Azizi M, Burnier M, Clement D, Coca A, De Simone G, Dominiczak A, et al; Authors/Task Force members. 2018 Practice Guidelines for the management of arterial hypertension of the European Society of Hypertension and the European Society of Cardiology: ESH/ESC Task Force for the Management of Arterial Hypertension. *J Hypertens.* 2018;36:2284–2309. doi: 10.1097/HJH.0000000000001961
- Hicks CW, Clark TWI, Cooper CJ, de Bhailís ÁM, De Carlo M, Green D, Malyszko J, Miglinas M, Textor SC, Herzog CA, et al. Atherosclerotic renovascular disease: A KDIGO (Kidney Disease: Improving Global Outcomes) Controversies Conference. *Am J Kidney Dis.* 2022;79:289–301. doi: 10.1053/j.ajkd.2021.06.025
- Herrmann SM, Textor SC. Current concepts in the treatment of renovascular hypertension. *Am J Hypertens.* 2018;31:139–149. doi: 10.1093/ajh/hpx154
- Goldblatt H, Lynch J, Hanzal RF, Summerville WW. Studies on experimental hypertension: I. the production of persistent elevation of systolic blood pressure by means of renal ischemia. *J Exp Med.* 1934;59:347–379. doi: 10.1084/jem.59.3.347
- Stanley JC. David M. Hume memorial lecture. Surgical treatment of renovascular hypertension. *Am J Surg.* 1997;174:102–110. doi: 10.1016/s0002-9610(97)00094-9
- Gloviczki ML, Glockner JF, Lerman LO, McKusick MA, Misra S, Grande JP, Textor SC. Preserved oxygenation despite reduced blood flow in poststenotic kidneys in human atherosclerotic renal artery stenosis. *Hypertension.* 2010;55:961–966. doi: 10.1161/HYPERTENSIONAHA.109.145227
- Cervenka L, Horáček V, Vanecková I, Hubáček JA, Oliverio MI, Coffman TM, Navar LG. Essential role of AT1A receptor in the development of 2K1C hypertension. *Hypertension.* 2002;40:735–741. doi: 10.1161/01.hyp.0000036452.28493.74
- Textor SC, Lerman LO. Paradigm shifts in atherosclerotic renovascular disease: where are we now? *J Am Soc Nephrol.* 2015;26:2074–2080. doi: 10.1681/ASN.2014121274
- Textor SC. Renovascular hypertension and ischemic nephropathy. In: Yu A, Chertow G, Luyckx V, Marsden P, Skorecki K, Taal M, eds. *Brenner and Rector's The Kidney.* 11th ed. Elsevier; 2020(2):1580–1621.
- Abumoawad A, Saad A, Ferguson CM, Eirin A, Woollard JR, Herrmann SM, Hickson LJ, Bendel EC, Misra S, Glockner J, et al. Tissue hypoxia, inflammation, and loss of glomerular filtration rate in human atherosclerotic renovascular disease. *Kidney Int.* 2019;95:948–957. doi: 10.1016/j.kint.2018.11.039
- de Mast O, Beutler JJ. The prevalence of atherosclerotic renal artery stenosis in risk groups: a systematic literature review. *J Hypertens.* 2009;27:1333–1340. doi: 10.1097/HJH.0b013e328329bbf4
- Hansen KJ, Edwards MS, Craven TE, Cherr GS, Jackson SA, Appel RG, Burke GL, Dean RH. Prevalence of renovascular disease in the elderly: a population-based study. *J Vasc Surg.* 2002;36:443–451. doi: 10.1067/mva.2002.127351
- Deitch JS, Hansen KJ, Craven TE, Flack JM, Appel RG, Dean RH. Renal artery repair in African-Americans. *J Vasc Surg.* 1997;26:465–472; discussion 473. doi: 10.1016/s0741-5214(97)70039-9
- Hansen KJ, O'Neil EA, Reavis SW, Craven TE, Plonk GW Jr, Dean RH. Intraoperative duplex sonography during renal artery reconstruction. *J Vasc Surg.* 1991;14:364–374.
- Svetkey LP, Kadir S, Dunnick NR, Smith SR, Dunham CB, Lambert M, Klotman PE. Similar prevalence of renovascular hypertension in selected blacks and whites. *Hypertension.* 1991;17:678–683. doi: 10.1161/01.hyp.17.5.678
- Simon N, Franklin SS, Bleifer KH, Maxwell MH. Clinical characteristics of renovascular hypertension. *JAMA.* 1972;220:1209–1218.
- Salmon P, Brown MA. Renal artery stenosis and peripheral vascular disease: implications for ACE inhibitor therapy. *Lancet.* 1990;336:321. doi: 10.1016/0140-6736(90)91865-8
- Wilms G, Marchal G, Peene P, Baert AL. The angiographic incidence of renal artery stenosis in the arteriosclerotic population. *Eur J Radiol.* 1990;10:195–197. doi: 10.1016/0720-048x(90)90137-z
- Foster JH, Dean RH, Pinkerton JA, Rhamey RK. Ten years experience with the surgical management of renovascular hypertension. *Ann Surg.* 1973;177:755–766. doi: 10.1097/0000658-197306000-00015
- Berglund G, Andersson O, Wilhelmson L. Prevalence of primary and secondary hypertension: studies in a random population sample. *Br Med J.* 1976;2:554–556. doi: 10.1136/bmj.2.6035.554
- Lewin A, Blaufox MD, Castle H, Entwisle G, Langford H. Apparent prevalence of curable hypertension in the Hypertension Detection and Follow-up Program. *Arch Intern Med.* 1985;145:424–427.
- Khosla S, Kunjummen B, Manda R, Khaleel R, Gladson M, Razminia M, Guerrero M, Trivedi A, Vidyarthi V, et al. Prevalence of renal artery stenosis requiring revascularization in patients initially referred for coronary angiography. *Catheter Cardiovasc Interv.* 2003;58:400–403. doi: 10.1002/ccd.10387
- Buller CE, Nogareda JG, Ramanathan K, Ricci DR, Djurdjev O, Tinckam KJ, Penn IM, Fox RS, Stevens LA, Duncan JA, et al. The profile of cardiac patients with renal artery stenosis. *J Am Coll Cardiol.* 2004;43:1606–1613. doi: 10.1016/j.jacc.2003.11.050
- Benjamin MM, Fazel P, Filardo G, Choi JW, Stoler RC. Prevalence of and risk factors of renal artery stenosis in patients with resistant hypertension. *Am J Cardiol.* 2014;113:687–690. doi: 10.1016/j.amjcard.2013.10.046
- Meaney TF, Dustan HP, McCormack LJ. Natural history of renal arterial disease. *Radiology.* 1968;91:881–887. doi: 10.1148/91.5.881
- Schreiber MJ, Pohl MA, Novick AC. The natural history of atherosclerotic and fibrous renal artery disease. *Urol Clin North Am.* 1984;11:383–392.
- Tollefson DF, Ernst CB. Natural history of atherosclerotic renal artery stenosis associated with aortic disease. *J Vasc Surg.* 1991;14:327–331.
- Wollenweber J, Sheps SG, Davis GD. Clinical course of atherosclerotic renovascular disease. *Am J Cardiol.* 1968;21:60–71. doi: 10.1016/0002-9149(68)90014-3
- Caps MT, Perissinotto C, Zierler RE, Polissar NL, Bergelin RO, Tullis MJ, Cantwell-Gab K, Davidson RC, Strandness DE Jr. Prospective study of atherosclerotic disease progression in the renal artery. *Circulation.* 1998;98:2866–2872. doi: 10.1161/01.cir.98.25.2866
- Olin JW, Froehlich J, Gu X, Bacharach JM, Eagle K, Gray BH, Jaff MR, Kim ES, Mace P, Matsumoto AH, et al. The United States Registry for Fibromuscular Dysplasia: results in the first 447 patients. *Circulation.* 2012;125:3182–3190. doi: 10.1161/CIRCULATIONAHA.112.091223
- Pappaccogli M, Di Monaco S, Warchol-Celińska E, Lorthioir A, Amar L, Aparicio LS, Beauloye C, Bruno RM, Chenu P, de Leeuw P, et al; European/International FMD Registry and Initiative (FEIRI), and the Working Group 'Hypertension and the Kidney' of the European Society of Hypertension (ESH). The European/International Fibromuscular Dysplasia Registry and Initiative (FEIRI)-clinical phenotypes and their predictors based on a cohort of 1000 patients. *Cardiovasc Res.* 2021;117:950–959. doi: 10.1093/cvr/cvaa102
- Bagh I, Olin JW, Froehlich JB, Kline-Rogers E, Gray B, Kim ESH, Sharma A, Weinberg I, Wells BJ, Gu X, et al. Association of multifocal fibromuscular dysplasia in elderly patients with a more benign clinical phenotype: data from the US Registry for Fibromuscular Dysplasia. *JAMA Cardiol.* 2018;3:756–760. doi: 10.1001/jamacardio.2018.1638
- Savard S, Steichen O, Azarine A, Azizi M, Jeunemaitre X, Plouin PF. Association between 2 angiographic subtypes of renal artery fibromuscular dysplasia and clinical characteristics. *Circulation.* 2012;126:3062–3069. doi: 10.1161/CIRCULATIONAHA.112.117499
- Morris GC, DeBakey ME, Cooley DA. Surgical treatment of renal failure of renovascular origin. *JAMA.* 1962;182:609–612. doi:10.1001/jama.1962.03050450009002
- Courand PY, Dinic M, Lorthioir A, Bobrie G, Grataloup C, Denarié N, Soulat G, Mousseaux E, Sapoval M, Azizi M, et al. Resistant hypertension and atherosclerotic renal artery stenosis: effects of angioplasty on ambulatory blood pressure. A retrospective uncontrolled single-center study. *Hypertension.* 2019;74:1516–1523. doi: 10.1161/HYPERTENSIONAHA.119.13393
- Grüntzig A, Kuhlmann U, Vetter W, Lütolf U, Meier B, Siegenthaler W. Treatment of renovascular hypertension with percutaneous transluminal dilatation of a renal-artery stenosis. *Lancet.* 1978;1:801–802. doi: 10.1016/s0140-6736(78)93000-3

39. Tegtmeier CJ, Elson J, Glass TA, Ayers CR, Chevalier RL, Wellons HA Jr, Studdard WE Jr. Percutaneous transluminal angioplasty: the treatment of choice for renovascular hypertension due to fibromuscular dysplasia. *Radiology*. 1982;143:631–637. doi: 10.1148/radiology.143.3.6210930
40. Mangiacapra F, Trana C, Sarno G, Davidavicius G, Protasiewicz M, Muller O, Ntalianis A, Misonis N, Van Vlem B, Heyndrickx GR, et al. Translesional pressure gradients to predict blood pressure response after renal artery stenting in patients with renovascular hypertension. *Circ Cardiovasc Interv*. 2010;3:537–542. doi: 10.1161/CIRCINTERVENTIONS.110.957704
41. Leeser MA, Varma J, Shapira A, Fahsah I, Raza ST, Elghoul Z, Leonard AC, Meganathan K, Ikram S. Prediction of hypertension improvement after stenting of renal artery stenosis: comparative accuracy of translesional pressure gradients, intravascular ultrasound, and angiography. *J Am Coll Cardiol*. 2009;53:2363–2371. doi: 10.1016/j.jacc.2009.03.031
42. Ronden RA, Houben AJ, Kessels AG, Stehouwer CD, de Leeuw PW, Kroon AA. Predictors of clinical outcome after stent placement in atherosclerotic renal artery stenosis: a systematic review and meta-analysis of prospective studies. *J Hypertens*. 2010;28:2370–2377. doi: 10.1097/HJH.0b013e32833ec392
43. Caielli P, Frigo AC, Pengo MF, Rossitto G, Maiolino G, Seccia TM, Calò LA, Miotto D, Rossi GP. Treatment of atherosclerotic renovascular hypertension: review of observational studies and a meta-analysis of randomized clinical trials. *Nephrol Dial Transplant*. 2015;30:541–553. doi: 10.1093/ndt/gfu072
44. Vassallo D, Ritchie J, Green D, Chrysochou C, Kalra PA. The effect of revascularization in patients with anatomically significant atherosclerotic renovascular disease presenting with high-risk clinical features. *Nephrol Dial Transplant*. 2018;33:497–506. doi: 10.1093/ndt/gfx025
45. Ma Z, Liu L, Zhang B, Chen W, Yang J, Li H. Renal artery stent in solitary functioning kidneys: 77% of benefit: a systematic review with meta-analysis. *Medicine (Baltimore)*. 2016;95:e4780. doi: 10.1097/MD.0000000000004780
46. Watson PS, Hadjipetrou P, Cox SV, Piemonte TC, Eisenhauer AC. Effect of renal artery stenting on renal function and size in patients with atherosclerotic renovascular disease. *Circulation*. 2000;102:1671–1677. doi: 10.1161/01.cir.102.14.1671
47. Herrmann SM, Saad A, Eirin A, Woollard J, Tang H, McKusick MA, Misra S, Glockner JF, Lerman LO, Textor SC. Differences in GFR and tissue oxygenation, and interactions between stenotic and contralateral kidneys in unilateral atherosclerotic renovascular disease. *Clin J Am Soc Nephrol*. 2016;11:458–469. doi: 10.2215/CJN.03620415
48. Modrall JG, Trimmer C, Tsai S, Kirkwood ML, Ali M, Rectenwald JE, Timaran CH, Rosero EB. Renal salvage with renal artery stenting improves long-term survival. *Ann Vasc Surg*. 2017;45:106–111. doi: 10.1016/j.avsg.2017.05.033
49. Murphy TP, Cooper CJ, Pencina KM, D'Agostino R, Massaro J, Cutlip DE, Jamerson K, Matsumoto AH, Henrich W, Shapiro JI, et al. Relationship of albuminuria and renal artery stent outcomes: results from the CORAL randomized clinical trial (Cardiovascular Outcomes With Renal Artery Lesions). *Hypertension*. 2016;68:1145–1152. doi: 10.1161/HYPERTENSIONAHA.116.07744
50. Iwashima Y, Fukuda T, Horio T, Hayashi SI, Kusunoki H, Kishida M, Nakamura S, Kamide K, Kawano Y, Yoshihara F. Association between renal function and outcomes after percutaneous transluminal renal angioplasty in hypertensive patients with renal artery stenosis. *J Hypertens*. 2018;36:126–135. doi: 10.1097/HJH.0000000000001499
51. Takahashi EA, Harmsen WS, Misra S. Impact of renal function trajectory on renal replacement therapy and mortality risk after renal artery revascularization. *J Vasc Interv Radiol*. 2020;31:592–597. doi: 10.1016/j.jvir.2019.07.025
52. Meredith D, Bazemore TC, Shah A, Dilley J, Stouffer GA. Identification of factors associated with improved survival after renal artery stenting. *Am J Cardiol*. 2017;119:664–668. doi: 10.1016/j.amjcard.2016.10.054
53. Sens F, Normand G, Fournier T, Della-Schiava N, Luong S, Pelletier C, Robinson P, Lemoine S, Rouvière O, Juillard L. Blood pressure decreases after revascularization in atherosclerotic renal artery disease: a cohort study based on a multidisciplinary meeting. *PLoS One*. 2019;14:e0218788. doi: 10.1371/journal.pone.0218788
54. Mann SJ, Sos TA. Misleading results of randomized trials: the example of renal artery stenting. *J Clin Hypertens (Greenwich)*. 2010;12:1–2. doi: 10.1111/j.1751-7176.2009.00216.x
55. Prince M, Gupta A, Bob-Manuel T, Tafur J. Renal revascularization in resistant hypertension. *Prog Cardiovasc Dis*. 2020;63:58–63. doi: 10.1016/j.pcad.2019.12.001
56. Sag AA, Sos TA, Benli C, Sal O, Rossignol P, Ortiz A, Solak Y, Kanbay M. Atherosclerotic renal artery stenosis in the post-CORAL era part 2: new directions in transcatheter nephron salvage following flawed revascularization trials. *J Am Soc Hypertens*. 2016;10:368–377. doi: 10.1016/j.jash.2016.02.005
57. Raman G, Adam GP, Halladay CW, Langberg VN, Azodo IA, Balk EM. Comparative effectiveness of management strategies for renal artery stenosis: an updated systematic review. *Ann Intern Med*. 2016;165:635–649. doi: 10.7326/M16-1053
58. van Jaarsveld BC, Krijnen P, Pieterman H, Derckx FH, Deinum J, Postma CT, Dees A, Woittiez AJJ, Bartelink AK, Man in't Veld AJ, Schalekamp MA. The effect of balloon angioplasty on hypertension in atherosclerotic renal-artery stenosis. Dutch Renal Artery Stenosis Intervention Cooperative Study Group. *N Engl J Med*. 2000;342:1007–1014. doi: 10.1056/NEJM200004063421403
59. Bax L, Woittiez A-JJ, Kouwenberg HJ, Mali WPTM, Buskens E, Beek FJA, Braam B, Huysmans FTM, Kool LJS, Rutten MJCM, et al. Stent placement in patients with atherosclerotic renal artery stenosis and impaired renal function. *Ann Int Med*. 2009;150:840–848. doi: 10.7326/0003-4819-150-12-200906160-00119
60. ASTRAL Investigators; Wheatley K, Ives N, Gray R, Kalra PA, Moss JG, Baigent C, Carr S, Chalmers N, Eadington D, Hamilton G, et al. Revascularization versus medical therapy for renal-artery stenosis. *N Engl J Med*. 2009;361:1953–1962. doi: 10.1056/NEJMoa0905368
61. Cooper CJ, Murphy TP, Cutlip DE, Jamerson K, Henrich W, Reid DM, Cohen DJ, Matsumoto AH, Steffes M, Jaff MR, et al; CORAL Investigators. Stenting and medical therapy for atherosclerotic renal-artery stenosis. *N Engl J Med*. 2014;370:13–22. doi: 10.1056/NEJMoa1310753
62. Persu A, Giavarini A, Touzé E, Januszewicz A, Sapoval M, Azizi M, Barral X, Jeunemaitre X, Morganti A, Plouin PF, et al; ESH Working Group Hypertension and the Kidney. European consensus on the diagnosis and management of fibromuscular dysplasia. *J Hypertens*. 2014;32:1367–1378. doi: 10.1097/HJH.0000000000000213
63. Di Monaco S, Lengelé JP, Heenaye S, Danse E, Hammer F, Lopez-Sublet M, Toubiana L, Rabbia F, Persu A. Prevalence and characteristics of renal artery fibromuscular dysplasia in hypertensive women below 50 years old. *Eur J Clin Invest*. 2019;49:e13166. doi: 10.1111/eci.13166
64. Gornik HL, Persu A, Adlam D, Aparicio LS, Azizi M, Boulanger M, Bruno RM, de Leeuw P, Fendrikova-Mahlay N, Froehlich J, et al. First international consensus on the diagnosis and management of fibromuscular dysplasia. *Vasc Med*. 2019;24:164–189. doi: 10.1177/1358863X18821816
65. Trinquart L, Mounier-Vehier C, Sapoval M, Gagnon N, Plouin PF. Efficacy of revascularization for renal artery stenosis caused by fibromuscular dysplasia: a systematic review and meta-analysis. *Hypertension*. 2010;56:525–532. doi: 10.1161/HYPERTENSIONAHA.110.152918
66. Carey RM, Calhoun DA, Bakris GL, Brook RD, Daugherty SL, Dennison-Himmelfarb CR, Egan BM, Flack JM, Gidding SS, Judd E, et al; on behalf of the American Heart Association Professional/Public Education and Publications Committee of the Council on Hypertension; Council on Cardiovascular and Stroke Nursing; Council on Clinical Cardiology; Council on Genomic and Precision Medicine; Council on Peripheral Vascular Disease; Council on Quality of Care and Outcomes Research; and Stroke Council. Resistant hypertension: detection, evaluation, and management: a scientific statement from the American Heart Association. *Hypertension*. 2018;72:e53–e90. doi: 10.1161/HYP.0000000000000084
67. Daugherty SL, Powers JD, Magid DJ, Tavel HM, Masoudi FA, Margolis KL, O'Connor PJ, Selby JV, Ho PM. Incidence and prognosis of resistant hypertension in hypertensive patients. *Circulation*. 2012;125:1635–1642. doi: 10.1161/CIRCULATIONAHA.111.068064
68. Calhoun DA, Jones D, Textor S, Goff DC, Murphy TP, Toto RD, White A, Cushman WC, White W, Sica D, et al. Resistant hypertension: diagnosis, evaluation, and treatment: a scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. *Hypertension*. 2008;51:1403–1419. doi: 10.1161/HYPERTENSIONAHA.108.189141
69. Scoble JE, Maher ER, Hamilton G, Dick R, Sweny P, Moorhead JF. Atherosclerotic renovascular disease causing renal impairment—a case for treatment. *Clin Nephrol*. 1989;31:119–122.

70. Caps MT, Zierler RE, Polissar NL, Bergelin RO, Beach KW, Cantwell-Gab K, Casadei A, Davidson RC, Strandness DE Jr. Risk of atrophy in kidneys with atherosclerotic renal artery stenosis. *Kidney Int.* 1998;53:735–742. doi: 10.1046/j.1523-1755.1998.00805.x
71. Appel RG, Bleyer AJ, Reavis S, Hansen KJ. Renovascular disease in older patients beginning renal replacement therapy. *Kidney Int.* 1995;48:171–176. doi: 10.1038/ki.1995.281
72. Mailloux LU, Bellucci AG, Mossey RT, Napolitano B, Moore T, Wilkes BM, Bluestone PA. Predictors of survival in patients undergoing dialysis. *Am J Med.* 1988;84:855–862. doi: 10.1016/0002-9343(88)90063-0
73. Besarab A, Brown RS, Rubin NT, Salzman E, Wirthlin L, Steinman T, Atlia RR, Skillman JJ. Reversible renal failure following bilateral renal artery occlusive disease. Clinical features, pathology, and the role of surgical revascularization. *JAMA.* 1976;235:2838–2841.
74. Textor SC, Wilcox CS. Renal artery stenosis: a common, treatable cause of renal failure? *Annu Rev Med.* 2001;52:421–442. doi: 10.1146/annurev.med.52.1.421
75. Cheung CM, Shurrab AE, Buckley DL, Hegarty J, Middleton RJ, Mamtara H, Kalra PA. MR-derived renal morphology and renal function in patients with atherosclerotic renovascular disease. *Kidney Int.* 2006;69:715–722. doi: 10.1038/sj.ki.5000118
76. Afarideh M, Zhang X, Ferguson CM, Glockner JF, Lerman A, Textor SC, Lerman LO. Peristenotic collateral circulation in atherosclerotic renovascular disease: association with kidney function and response to treatment. *Hypertension.* 2020;76:497–505. doi: 10.1161/HYPERTENSIONAHA.120.15057
77. Messerli FH, Bangalore S, Makani H, Rimoldi SF, Allemann Y, White CJ, Textor S, Sleight P. Flash pulmonary oedema and bilateral renal artery stenosis: the Pickering syndrome. *Eur Heart J.* 2011;32:2231–2235. doi: 10.1093/eurheartj/ehr056
78. Pickering TG. The influence of daily activity on ambulatory blood pressure. *Am Heart J.* 1988;116:1141–1145. doi: 10.1016/0002-8703(88)90178-0
79. Bloch MJ, Trost DW, Pickering TG, Sos TA, August P. Prevention of recurrent pulmonary edema in patients with bilateral renovascular disease through renal artery stent placement. *Am J Hypertens.* 1999;12(1 pt 1):1–7. doi: 10.1016/s0895-7061(98)00201-5
80. Messina LM, Zelenock GB, Yao KA, Stanley JC. Renal revascularization for recurrent pulmonary edema in patients with poorly controlled hypertension and renal insufficiency: a distinct subgroup of patients with arteriosclerotic renal artery occlusive disease. *J Vasc Surg.* 1992;15:73–80; discussion 80. doi: 10.1067/mva.1992.33257
81. Pelta A, Andersen UB, Just S, Bækgaard N. Flash pulmonary edema in patients with renal artery stenosis—the Pickering syndrome. *Blood Press.* 2011;20:15–19. doi: 10.3109/08037051.2010.527445
82. Ritchie J, Green D, Chrysochou C, Chalmers N, Foley RN, Kalra PA. High-risk clinical presentations in atherosclerotic renovascular disease: prognosis and response to renal artery revascularization. *Am J Kidney Dis.* 2014;63:186–197. doi: 10.1053/j.ajkd.2013.07.020
83. Anderson JL, Halperin JL, Albert NM, Bozkurt B, Brindis RG, Curtis LH, DeMets D, Guyton RA, Hochman JS, Kovacs RJ, et al. Management of patients with peripheral artery disease (compilation of 2005 and 2011 ACCF/AHA guideline recommendations): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation.* 2013;127:1425–1443. doi: 10.1161/CIR.0b013e31828b82aa
84. Kirkendall WM, Fitz AE, Lawrence MS. Renal hypertension. Diagnosis and surgical treatment. *N Engl J Med.* 1967;276:479–485. doi: 10.1056/NEJM196703022760901
85. Hughes JS, Dove HG, Gifford RW Jr, Feinstein AR. Duration of blood pressure elevation in accurately predicting surgical cure of renovascular hypertension. *Am Heart J.* 1981;101:408–413. doi: 10.1016/0002-8703(81)90129-0
86. Rossi GP, Cesari M, Chiesura-Corona M, Miotto D, Semplicini A, Pessina AC. Renal vein renin measurements accurately identify renovascular hypertension caused by total occlusion of the renal artery. *J Hypertens.* 2002;20:975–984. doi: 10.1097/00004872-200205000-00033
87. Woods JW, Michelakis AM. Renal vein renin in renovascular hypertension. *Arch Intern Med.* 1968;122:392–393.
88. Jensen G, Zachrisson BF, Delin K, Volkmann R, Aurell M. Treatment of renovascular hypertension: one year results of renal angioplasty. *Kidney Int.* 1995;48:1936–1945. doi: 10.1038/ki.1995.494
89. Hasbak P, Jensen LT, Ibsen H; East Danish Study Group on Renovascular Hypertension. Hypertension and renovascular disease: follow-up on 100 renal vein renin samplings. *J Hum Hypertens.* 2002;16:275–280. doi: 10.1038/sj.jhh.1001365
90. Hirsch AT, Haskal ZJ, Hertzner NR, Bakal CW, Creager MA, Halperin JL, Hiratzka LF, Murphy WR, Olin JW, Puschett JB, et al. ACC/AHA 2005 practice guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease). *Circulation.* 2006;113:e463–e654. doi: 10.1161/CIRCULATIONAHA.106.174526
91. Alli O, Mathew V, From AM, Barsness G, Misra S, Gulati R. Transradial access for renal artery intervention is feasible and safe. *Vasc Endovascular Surg.* 2011;45:738–742. doi: 10.1177/1538574411418845
92. Ivanovic V, McKusick MA, Johnson CM 3rd, Sabater EA, Andrews JC, Breen JF, Bjarnason H, Misra S, Stanson AW. Renal artery stent placement: complications at a single tertiary care center. *J Vasc Interv Radiol.* 2003;14(2 pt 1):217–225. doi: 10.1097/01.rvi.0000058324.82956.2a
93. Bailey SR, Beckman JA, Dao TD, Misra S, Sobieszczek PS, White CJ, Wann LS, Bailey SR, Dao T, Aronow HD, et al. ACC/AHA/SCAI/SIR/SVM 2018 appropriate use criteria for peripheral artery intervention: a report of the American College of Cardiology Appropriate Use Criteria Task Force, American Heart Association, Society for Cardiovascular Angiography and Interventions, Society of Interventional Radiology, and Society for Vascular Medicine. *J Am Coll Cardiol.* 2019;73:214–237. doi: 10.1016/j.jacc.2018.10.002
94. Olin JW, Gornik HL, Bacharach JM, Biller J, Fine LJ, Gray BH, Gray WA, Gupta R, Hamburg NM, Katzen BT, et al; on behalf of the American Heart Association Council on Peripheral Vascular Disease; Council on Clinical Cardiology; Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation; Council on Cardiovascular Disease in the Young; Council on Cardiovascular Radiology and Intervention; Council on Epidemiology and Prevention; Council on Functional Genomics and Translational Biology; Council for High Blood Pressure Research; Council on the Kidney in Cardiovascular Disease; and Stroke Council. Fibromuscular dysplasia: state of the science and critical unanswered questions: a scientific statement from the American Heart Association. *Circulation.* 2014;129:1048–1078. doi: 10.1161/01.cir.0000442577.96802.8c
95. Cooper CJ, Haller ST, Colyer W, Steffes M, Burket MW, Thomas WJ, Safian R, Reddy B, Brewster P, Ankenbrandt MA, et al. Embolic protection and platelet inhibition during renal artery stenting. *Circulation.* 2008;117:2752–2760. doi: 10.1161/CIRCULATIONAHA.107.730259
96. Misra S, Gomes MT, Mathew V, Barsness GW, Textor SC, Bjarnason H, McKusick MA. Embolic protection devices in patients with renal artery stenosis with chronic renal insufficiency: a clinical study. *J Vasc Interv Radiol.* 2008;19:1639–1645. doi: 10.1016/j.jvir.2008.08.002
97. Thatipelli MR, Misra S, Sanikommu SR, Schainfeld RM, Sharma SK, Soukas PA. Embolic protection device use in renal artery stent placement. *J Vasc Interv Radiol.* 2009;20:580–586. doi: 10.1016/j.jvir.2009.01.025
98. Khosla A, Misra S, Greene EL, Pflueger A, Textor SC, Bjarnason H, McKusick MA. Clinical outcomes in patients with renal artery stenosis treated with stent placement with embolic protection compared with those treated with stent alone. *Vasc Endovascular Surg.* 2012;46:447–454. doi: 10.1177/1538574412449911
99. Boateng FK, Greco BA. Renal artery stenosis: prevalence of, risk factors for, and management of in-stent stenosis. *Am J Kidney Dis.* 2013;61:147–160. doi: 10.1053/j.ajkd.2012.07.025
100. Misra S, Sturludottir M, Mathew V, Bjarnason H, McKusick M, Iyer VK. Treatment of complex stenoses involving renal artery bifurcations with use of drug-eluting stents. *J Vasc Interv Radiol.* 2008;19(2 pt 1):272–278. doi: 10.1016/j.jvir.2007.10.028
101. Misra S, Thatipelli MR, Howe PW, Hunt C, Mathew V, Barsness GW, Pflueger A, Textor SC, Bjarnason H, McKusick MA. Preliminary study of the use of drug-eluting stents in atherosclerotic renal artery stenoses 4 mm in diameter or smaller. *J Vasc Interv Radiol.* 2008;19:833–839. doi: 10.1016/j.jvir.2008.03.017

102. Jundt MC, Takahashi EA, Harmsen WS, Misra S. Restenosis rates after drug-eluting stent treatment for stenotic small-diameter renal arteries. *Cardiovasc Intervent Radiol*. 2019;42:1293–1301. doi: 10.1007/s00270-019-02264-z
103. Cerny JC, Karsch D. Aberrant renal arteries. *Urology*. 1973;2:623–626. doi: 10.1016/0090-4295(73)90322-1
104. Geyer JR, Poutasse EF. Incidence of multiple renal arteries on aortography. Report of a series of 400 patients, 381 of whom had arterial hypertension. *JAMA*. 1962;182:120–125. doi: 10.1001/jama.1962.03050410016004
105. Jamkar AA, Khan B, Joshi DS. Anatomical study of renal and accessory renal arteries. *Saudi J Kidney Dis Transpl*. 2017;28:292–297. doi: 10.4103/1319-2442.202760
106. Khamanarong K, Prachaney P, Utraravichien A, Tong-Un T, Sriparaya K. Anatomy of renal arterial supply. *Clin Anat*. 2004;17:334–336. doi: 10.1002/ca.10236
107. Lauder L, Ewen S, Tzafiriri AR, Edelman ER, Lüscher TF, Blankenstijn PJ, Dörr O, Schlaich M, Sharif F, Voskuil M, et al; Renal artery anatomy in hypertensive patients study collaborators. Renal artery anatomy assessed by quantitative analysis of selective renal angiography in 1,000 patients with hypertension. *EuroIntervention*. 2018;14:121–128. doi: 10.4244/EIJ-D-18-00112
108. Ozkan U, Oğuzkurt L, Tercan F, Kizilkiliç O, Koç Z, Koca N. Renal artery origins and variations: angiographic evaluation of 855 consecutive patients. *Diagn Interv Radiol*. 2006;12:183–186.
109. Thatipelli MR, Sabater EA, Bjarnason H, McKusick MA, Misra S. CT angiography of renal artery anatomy for evaluating embolic protection devices. *J Vasc Interv Radiol*. 2007;18:842–846. doi: 10.1016/j.jvir.2007.04.030
110. Liang P, Hurks R, Bensley RP, Hamdan A, Wyers M, Chaikof E, Schermerhorn ML. The rise and fall of renal artery angioplasty and stenting in the United States, 1988–2009. *J Vasc Surg*. 2013;58:1331–8,e1.
111. Ham SW, Weaver FA. Ex vivo renal artery reconstruction for complex renal artery disease. *J Vasc Surg*. 2014;60:143–150. doi: 10.1016/j.jvs.2014.01.061
112. English WP, Pearce JD, Craven TE, Wilson DB, Edwards MS, Ayerdi J, Geary RL, Dean RH, Hansen KJ. Surgical management of renal artery aneurysms. *J Vasc Surg*. 2004;40:53–60. doi: 10.1016/j.jvs.2004.03.024
113. Benjamin ME, Hansen KJ, Craven TE, Keith DR, Plonk GW, Geary RL, Dean RH. Combined aortic and renal artery surgery. A contemporary experience. *Ann Surg*. 1996;223:555–565; discussion 565. doi: 10.1097/00000658-199605000-00011
114. Coleman DM, Eliason JL, Beaulieu R, Jackson T, Karmakar M, Kershaw DB, Modi ZJ, Ganesh SK, Khaja MS, Williams D, et al; University of Michigan Pediatric Renovascular Hypertension Center. Surgical management of pediatric renin-mediated hypertension secondary to renal artery occlusive disease and abdominal aortic coarctation. *J Vasc Surg*. 2020;72:2035–2046.e1. doi: 10.1016/j.jvs.2020.02.045
115. Piercy KT, Hundley JC, Stafford JM, Craven TE, Nagaraj SK, Dean RH, Hansen KJ. Renovascular disease in children and adolescents. *J Vasc Surg*. 2005;41:973–982. doi: 10.1016/j.jvs.2005.03.007
116. Hansen KJ, Starr SM, Sands RE, Burkart JM, Plonk GW Jr, Dean RH. Contemporary surgical management of renovascular disease. *J Vasc Surg*. 1992;16:319–330; discussion 330.
117. Cambria RP, Brewster DC, L'Italien GJ, Moncure A, Darling RC Jr, Gertler JP, La Muraglia GM, Atamian S, Abbott WM. The durability of different reconstructive techniques for atherosclerotic renal artery disease. *J Vasc Surg*. 1994;20:76–85; discussion 86. doi: 10.1016/0741-5214(94)90178-3
118. Crutchley TA, Pearce JD, Craven TE, Edwards MS, Dean RH, Hansen KJ. Branch renal artery repair with cold perfusion protection. *J Vasc Surg*. 2007;46:405–412; discussion 412. doi: 10.1016/j.jvs.2007.04.036
119. Ahmad N, Pratt JR, Potts DJ, Lodge JP. Comparative efficacy of renal preservation solutions to limit functional impairment after warm ischemic injury. *Kidney Int*. 2006;69:884–893. doi: 10.1038/sj.ki.5000063